

	Issue Date	Page s	Title	Document ID	Current OR	Current XRef
1	20030225	35	Handwritten data input device having coordinate detection tablet	US 6525716 B1	345/173	178/18.01; 178/18.03; 345/179; 382/187; 382/188
2	20020409	22	Handwritten data input device having coordinate detection tablet	US 6369802 B1	345/173	
3	20010529	47	Coordinate input device and display-integrated type coordinate input device capable of directly detecting electrostatic coupling capacitance with high accuracy	US 6239788 B1	345/173	178/18.03
4	20000321	39	Input/display integrated information processing device	US 6040825 A	345/173	
5	19990330	42	Display of data files indicated by pasting instructing data indicating pasting of a data file in a displayed data file	US 5890178 A	715/516	345/174; 345/180; 345/769; 345/864; 382/177; 382/189
6	19980421	39	Input/display integrated information processing device	US 5742279 A	345/173	345/175
7	19960813	13	Remote control method and apparatus thereof	US 5545857 A	178/18.03	345/157; 345/158; 345/169; 345/173; 345/174; 345/175

	Issue Date	Page s	Title	Document ID	Current OR	Current XRef
8	19931214	35	Hybrid information management system for handwriting and text	US RE344476 E	382/186	345/173; 345/781; 345/839; 382/187; 400/61; 400/83; 708/107; 708/110; 715/512; 715/541
9	19930316	73	Electro-optic slate for direct entry and display and/or storage of hand-entered textual and graphic information	US 5194852 A	345/182	178/18.03; 341/33; 341/5; 345/173; 345/902
10	19911105	35	Hybrid information management system for handwriting and text	US 5063600 A	382/186	345/173; 345/856; 382/187; 708/107; 708/110; 715/512; 715/541
11	19900206	8	Arrangement for the input and processing of characters and/or graphic patterns	US 4899137 A	345/168	178/18.01; 341/5; 345/173
12	19890613	57	Electro-optic slate for input/output of hand-entered textual and graphic information	US 4839634 A	345/173	178/18.09; 341/33; 341/5; 345/104

	Issue Date	Pages	Title	Document ID	Current OR	Current XRef
1	20030717	12	Method and apparatus for searching for a base station using an adaptable search window	US 20030134652 A1	455/515	
2	20030605	21	System and method of wirelessly triggering portable devices	US 20030104824 A1	455/456.1	
3	20030403	9	User interfacing device for PDA/wireless terminal	US 20030064750 A1	455/556.1	455/566
4	20021107	13	System and method for providing position-based information to a user of a wireless device	US 20020164998 A1	455/456.1	
5	20021010	13	Computer network method for conducting payment over a network by debiting and crediting telecommunication accounts	US 20020147658 A1	705/26	455/410; 705/40; 705/44; 705/50
6	20020718	39	Portable information apparatus	US 20020094846 A1	455/566	379/433.13; 455/556.2
7	20020711	9	Portable radio receiver with an identification module	US 20020090913 A1	455/41.2	455/411
8	20020226	9	Mobile telephone and method for registering and using special symbols as a password in same	US 6351634 B1	455/410	380/247; 455/411
9	20010731	11	Mobile telephone having a character recognition feature and method for controlling the same	US 6269260 B1	455/550.1	341/22; 341/26; 455/425; 455/460; 455/461
10	20000502	35	Passenger service and entertainment system	US 6058288 A	455/3.06	
11	19981006	7	Combined keypad and protective cover	US 5818924 A	379/433.13	379/433.04; 379/433.06; 379/433.07; 455/575.8

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	2008	(345/173-177).cccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	503	(178/18.01).cccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	253	(178/19.01).cccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	2513	1 or 2 or 3	USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	207277	timer	USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	244	pen-stroke or (pen adj stroke)	USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L7	16777	character adj recognition	USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L8	2466	(threshold adj interval) or (threshold adj time)	USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L9	1	6 and 7 and 8	USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L10	453	(382/185-186).cccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L12	1	7 and 8 and 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L13	1836	345/173.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	L14	28	7 and 8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L15	83	7 and 13	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	L16	15	5 and 15	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	L17	249	4 and 5	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
17	BRS	L19	1484	4 and 13	USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	L20	8	8 and 19	USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	L18	670	8 and 5	USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	L21	314737	pen or stylus or finger	USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	L22	212	5 and 21 and 4	USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	L23	17	7 and 22	USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	L24	14569	178/\$.cccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	L25	98	7 and 24	USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	L26	86	21 and 25	USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	L27	1477	touchscreen	USPAT; EPO; JPO; DERWENT; IBM_TDB
27	BRS	L28	10739	touch adj screen	USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	L29	11700	27 or 28	USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	L30	1163	5 and 29	USPAT; EPO; JPO; DERWENT; IBM_TDB
30	BRS	L31	499	5 and 7	USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	L32	0	5 and 27 and 6	USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	L33	257	21 and 29 and 7	USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	L34	28	4 and 33	USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	L35	56	6 and 7	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
35	BRS	L36	37	18 and 21	USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	L37	52	29 and 5 and 7	USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	L38	79399	count\$4 and 5	USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	L39	770	29 and 38	USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	L40	43	7 and 39	USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	L41	1	5 and 6 and 4	USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	L42	565	wait\$5 and 8	USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	L43	16	29 and 42	USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	L44	959	count\$4 and (threshold adj time)	USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	L45	11	29 and 44	USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	L46	51863	345/\$.cccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	L47	41	5 and 7 and 46	USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	L50	263398 0	memory or storage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	BRS	L52	8927	input and 29	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	BRS	L53	250928	input near data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
50	BRS	L54	2513	53 and 29	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
51	BRS	L55	2	5903667.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	BRS	L56	187	7 and 54	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
53	BRS	L58	9	24 and 56	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	BRS	L59	5	5 and 7 and 8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	BRS	L60	163	touch adj screen adj data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	BRS	L61	18	5 and 60	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
57	BRS	L62	33	46 and 60	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
58	BRS	L64	10	60 and 7	USPAT; EPO; JPO; DERWENT; IBM_TDB
59	BRS	L71	73935	455/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
60	BRS	L72	11	60 and 71	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	32963	(TOUCH NEAR PANEL) OR (TOUCH ADJ SCREEN)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	19312	character near recognition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L4	346280	stylus or pen or finger	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L6	2390	(345/173-177).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L7	17333	character near input	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L8	12	4 and 7 and 1 and 2 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L10	530	1 and 2 and 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L11	79	timer and 10	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L13	207094	timer	USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L14	77	1 and 2 and 13	USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L15	55	2 and 7 and 13	USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L16	194	4 and 2 and 13	USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	L17	18	6 and 16	USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L18	1077	input near stroke	USPAT; EPO; JPO; DERWENT; IBM_TDB



	Type	L #	Hits	Search Text	DBs
15	BRS	L19	19	2 and 13 and 6	USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	L20	223	2 and 18	USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	L21	14	6 and 20	USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	L22	10726	touch adj screen	USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	L23	253	(178/19.01).cccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	L24	502	(178/18.01).cccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	L25	2512	6 or 23 or 24	USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	L26	48	2 and 13 and 22	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Issue Date	Page s	Title	Document ID	Current OR	Current XRef
1	20030911	27	Word association method and apparatus	US 20030171910 A1	704/1	
2	20030206	21	METHOD AND APPARATUS FOR INTERACTIVE LANGUAGE INSTRUCTION	US 20030028378 A1	704/260	
3	20030114	18	Speech recognition apparatus and method	US 6507815 B1	704/231	704/236; 704/239; 704/243
4	20010515	535	Universal machine translator of arbitrary languages utilizing epistemic moments	US 6233545 B1	704/2	704/9; 706/62
5	19991026	61	Semantic user interface	US 5974413 A	707/6	707/1; 707/2
6	19991019	15	Internet-based spelling checker dictionary system with automatic updating	US 5970492 A	707/10	715/532; 715/533
7	19990223	18	Internet-based spelling checker dictionary system with automatic updating	US 5875443 A	707/2	707/10; 715/532; 715/533
8	19911231	18	Telecommunications device and related method	US 5077804 A	382/138	
9	19840911	86	Digital data processing method and means for word classification by pattern analysis	US 4471459 A	715/533	
10	19821109	10	Office correspondence storage and retrieval system	US 4358824 A	707/5	
11	19770607	8	Digital reference hyphenation matrix apparatus for automatically forming hyphenated words	US 4028677 A	715/531	400/7
12	19731225	5	RETRIEVAL METHOD IN READING DICTIONARIES	US 3781809 A	704/10	353/27R; 707/1
13	19900802	2	MACRO REVERSE DRAWING FRONT END PROCESSOR SYSTEM	JP 02195426 A		

	Issue Date	Page s	Title	Document ID	Current OR	Current XRef
14	20020527	46	Electronic word game apparatus has computing devices to select letters and compare words with those in dictionary, player inputs and display	WO 200240119 A		